Date Mailed:	MAY 2	10 , 2005
Date Marieu.	WAI	, 200.

Sheet 1 of 1

FORND4E CONFORMATION DISCLOSURE STATEMENT	Docket Number: 10467.43USI2	Application Number: 10/751,091	
in an application	Applicant: MOECKLY ET A	AL.	
(Use several sheets if necessary)	Filing Date: 01/02/2004	Group Art Unit: 1755	

		U	I.S. PATENT DOCUMEN	KTS			
EXAMINER INITIAL	DOCUMENT NO.	DATE NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE		
PW	2004/0134967 A1	07/15/2004	Moeckly et al.				
······································		FOR	EIGN PATENT DOCUM	1ENTS			
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSI	ATION
					:	YES	МО
			******	_			
	OTHER	DOCUMENT:	S (Including Author, Title,	Date, Pertinent I	Pages, Etc.)		
PW			uperconductor-normal-supe Physics Letters, Vol. 62, N				s the
			tion of All-High-T _c Joseph ied Physics, Vol. 30, No. 8.				Films,"
			ect of microstructure on the sica C, Vol. 314, pp. 36-42		rties of YBCO inte	rface-engineer	ed
•			tion of Ramp-Edge Junctio art 2, No. 7B, pp. L730-L73			e-Modified Ba	arrier," <i>Jp</i>
		ce-Modified Bar	tion and Characterization o rier," <i>IEEE Transactions o</i>				
V		B. et al., "Interf 17-323 (1998)	ace-Engineered High-T _c Jo	sephson Junction	ns," Applied Superc	conductors, V	ol. 6, Nos

23552 PATENT TRADEMARK OFFICE

EXAMINER	Vul	Watter	DATE CONSIDERED	9/17/07

Date Mailed: July 5, 2007		Sheet 1 of 3
FORM 1449 P INFORMATION DISCLOSURE STATEMENT	Docket Number: 10467.43USI2	Application Number: 10/751,091
IN AN APPLICATION	Applicant: MOECKLY ET AL.	
IN AN APPLICATION IN AN APPLICATION See several sheets if necessary)	Filing Date: 01/02/2004	Group Art Unit: 1754

TA TRA			r———	U.S. PATENT DOCUMENTS	1			
XAMINER INITIAL	DOCUM	ENT NO.	DATE	NAME	CLASS	SUBCLASS		DATE OPRIATE
12	4,916,116		04/10/1990	Yamazaki				
	4,943,558		07/24/1990	Soltis et al.				
	5,077,270		12/31/1991	Takeda et al.				
	5,087,605		02/11/1992	Hegde et al.				
	5,134,117		07/28/1992	Dilorio et al.				
	5,162,294		11/10/1992	Talvacchio et al.				
	5,162,298		11/10/1992	Chaudhari et al.				
	5,217,945		06/08/1993	Wada et al.				
	5,696,392		12/09/1997	Char et al.				
/_	5,892,243		04/1999	Chan				
V	5,904,861		05/1999	Ban et al.				
•		•	F	OREIGN PATENT DOCUME	NTS			
	DOCUM	IENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	LATION
							YES	NO
	0 521 765 A	2	01/07/1993	EP				
···								
		от	HER DOCUME	NTS (Including Author, Title, Da	ate, Pertinent Pages	Etc.)		
M		"Poster Sessi	ions", Source Unk	nown, pg. 109 (1994)				
		Agostinelli, .	J. et al., "Cubic Ph	ase in the Y-Ba-Cu-O System", A	Physical Review B	, Vol. 43, No. 13, pp.	11 396-11 399 (May 1991
,			J.A. et al., "YBCO . 203-207 (1993)	-based Ramp-edge Josephson Ju	nctions and DC SQ	UIDs with a Cubic-YE	BCO Barrier Lay	er, Physica
			et al., "Barriers Fo 9-3340 (1994)	med by a Plasma Discharge Pro	cess in all YBCO Je	osephson Edge Junctio	ns", Physica C,	Vol. 235
		Antognazza, Dirty Limit	L. et al., "Proximi with Pair Breaking	ty Effect In YBa ₂ Cu ₃ O ₇ , _b /YBa ₂ ", <i>Physical Review B</i> , Vol. 51, N	(Cu _{1-x} Co _x) ₃ O ₇ , ₈ /Y o. 13., pp. 8560-85	Ba ₂ Cu ₃ O ₇₋₄ Junctions: 63 (April 1995)	From the Clear	Limit to 1
		Budhani, R.O Plasma", App	C. et al., "Modifica p. Phys. Lett., Vol.	tion of Y ₂ Ba ₄ Cu ₈ O ₁₆ Thin-Film 55, No. 22, pp. 2354-2356 (Nov	Surfaces by Interac ember 27, 1989)	tion with A Radio Free	quency Excited (Oxygen
		Char, K. et a	i., "Crystal Interfa	ce Engineering In High T _c Oxid	es" MRS Bulletin, p	p. 51-55 (September 1	994).	
		Gray, "Stron	tium Ceramics Fo	Chemical Applications," Journal	al of Power Source	r, Vol. 6, pp. 121-142	(1981).	
/			t al., "Heteroepitar 1114-L1116 (July	cial Growth of Y-Ba-Cu-O/Bi-Sr 1990)	- Cu-O/Y-Ba-Cu-C)", Japanese Journal o	of Applied Physic	es, Vol. 29
	_+	 						

	00				_•
EXAMINER	Pol	Wille	DATE CONSIDERED	9/17/07	

Date Mailed: July 5, 2007		Sheet 2 of 3
FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 10467.43USI2	Application Number: 10/751,091
IN AN APPLICATION	Applicant: MOECKLY ET AL	
(Use several sheets if necessary)	Filing Date: 01/02/2004	Group Art Unit: 1754

1	High Temperature Superconductivity, Electrochemical Society Meeting, Honolulu, Hawaii, Vol. 93-22, pp. 467-472 (May 1993).
	Hunt, B.D. et al., "High-T _c Superconductor/normal-metal/superconductor Edge Junctions and SQUIDs with Integrated Groundplanes", Appl. Phys. Lett., Vol. 68, No. 26, pp. 3805-3807 (June 24, 1996).
	Ishimaru, Y. et al., "Evaluation of fabrication process and barrier structure for interface-modified ramp-edge junctions," <i>Physica C</i> , Vol. 378-381, pp. 1327-1333 (2002).
	Jia, C.L et al., "Effect of Chemical and Ion-beam Etching on the Atomic Structure of Interfaces in YBa ₂ Cu ₃ O ₇ /PrBa ₂ Cu ₃ O ₇ Josephson Junctions", Appl. Phys. Lett., Vol. 67, No. 24, pp. 3635-3637 (December 11, 1995).
	Katsuno, H. et al., "Characteristics of interface-engineered Josephson junctions using a YbBa ₂ Cu ₃ O _y counterelectrode layer," Applied Physics Letters, Vol. 79, No. 25, pp. 4189-4191 (December 17, 2001).
	Kito, T. et al., "Excess-current-free stacked Josephson junctions with high I _c R _a product," Physica C, Vol. 378-381, pp. 1322-1326 (2002).
×	Kleinsasser, A.W. et al., "Demonstration of the Proximity Effect in YBa ₂ Cu ₃ O _{7-x} Edge Junctions", Appl. Phys. Lett., Vol. 66, No. 1, pp. 102-104 (January 2, 1995)
	Koren, G. et al., "Oxygen Controlled Transition from Tunnel-like to a Weak Link Behavior in YBa ₂ Cu ₃ O ₇₋₄ /YBa ₂ CoCu ₂ O ₂ /YBa ₂ Cu ₃ O ₇₋₄ Wedge Edge Junctions", pp. 1-14 (Date Unknown)
	Koren, G. et al., "YBa 2CoCu2O _y , PrBa2CoCu2O _y and PrBa2Cu3O ₇₄ as Barriers/Insulators in YBa2Cu3O ₇₄ Based Josephson Junctions", <i>Physica C</i> , Vol. 225, pp. 21-24 (1994).
	Koren, G. et al., "All High T. Josephson Junctions and Their L.R. Versus J. Behavior", 21 pages (April-May 1995) and in Coherence in High Tc Superconductors, Eds. G. Deutscher and A. Revcolevschi, World Scientific Pub Co. Singapore (1996) pp 333-353.
	Kye, J. et al., "Interface-modified YBCO ramp-edge Josephson junctions by deionized water," Supercond. Sci. Technol., Vol. 14, pp. 1056-1059 (2001).
	Laibowitz, R.B. et al., "All High Te Edge Junctions and SQUIDs", Appl. Phys. Lett., Vol. 56, No. 7, pp. 686-688 (February 12, 1990)
	Mallison, W. H. et al., "A multilayer YBa ₂ Cu ₃ O _x Josephson Junction Process for Digital Circuit Applications", ApplPhys. Lett., Vol 68, No. 26, pp. 3808-3810 (June 24, 1996).
	Mizuno, K. et al., "Fabrication of Thin-Film-Type Josephson Junctions Using a Bi-Sr-Ca-Cu-O/Bi-Sr -Cu-O/Bi-Sr-Ca-Cu-O Structure", App. Phys. Lett., Vol. 56, No. 15, pp. 1469-1471 (April 9, 1990)
	Moeckly B. H. et al., "Properties of Interface-engineered High T _e Josephson Junctions", <i>Appl. Phys. Lett.</i> , Vol. 71, No. 17, pp. 2526-2528 (October 27, 1997)
	Polturak, E. et al., "Proximity Effect in YBa ₂ Cu ₃ O ₇ /Y _{0.6} Pr _{0.4} Ba ₂ Cu ₃ O ₇ /YBa ₂ Cu ₃ O ₇ Junctions", Physical Review Letters, Vol. 67, No. 21, pp. 3038-3041 (November 18, 1991)
	Reagor, D. et al., "Development of High Temperature Superconducting Josephson Junctions and Quantum Interference Devices Using Low Deposition Temperature YBa 2Cu ₃ O _{7-x} Barriers", Appl. Phys. Lett., Vol. 66, No. 17, pp. 2280-2282 (April 24, 1995)
	Satoh, T. et al., "Effect of Lanthanum Doping of YBaCuO Electrodes on the Characteristics of Modified-Interface Edge Junctions," 4 pgs. (August 5, 2002).
	Tamegai, T. et al., "Universal transport anomaly in YBa ₂ Cu ₃ O ₇ -type systems with reduced carrier density," Physical Review B: The American Physical Society, Vol. 44, No. 18, pp. 10 167 - 10 172 (November 1, 1991).
	Tinchev, S., "Rapid Communication: 'Interface-engineered' high T _c Josephson junctions: a possible mechanism of operation," Supercond. Sci. Technol., Vol. 12, pp. L5-L7 (1999).
-	Wen, J. et al., "Atomic structure and composition of the barrier in the modified interface high-T _c Josephson junction studied by transmission electron microscopy," Applied Physics Letters, Vol. 75, No. 16, pp. 2470-2472 (October 18, 1999).
	Wu, C.C. et al., "Surface Modification of Indium Tin Oxide by Plasma Treatment: An Effective Method to Improve the Efficiency, Brightness, and Reliability of Organic Light Emitting Devices", Appl. Phys. Lett. , Vol. 70, No. 11, pp. 1348-1350 (March 17, 1997)
4	Wu, Y. et al., "Structural variation of the interface-engineered layers in YBa ₂ Cu ₃ O ₇₋₈ thin films," Physica C, Vol. 366, pp. 51-56 (2001).

				A .		
EXAMINER	Knf	Water	DATE CONSIDERED	7/17	107	

Date Mailed: July 5, 2007	Sho	eet 3 of 3
FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 10467.43USI2	Application Number: 10/751,091
IN AN APPLICATION	Applicant: MOECKLY ET AL.	
(Use several sheets if necessary)	Filing Date: 01/02/2004	Group Art Unit: 1754

BU	Yoshida, J., "Recent Progress of High-Temperature Superconductor Josephson Junction Technology for Digital Circuit Applications," IEICE Trans. Electron., Vol. E83-C, No. 1, pp. 49-59 (January 2000).
1-	Yoshida, J. et al., "Current transport in interface-engineered high-T _c Josephson junctions," Physica C, Vol. 367, pp. 260-266 (2002).
	Yoshida, J. et al., "Interface-engineered Junctions with YbBaCuO as the Counter-electrode," pp. 1-5 (2002).
V	Yoshitake, T. et al., "Effect of Oxygen Plasma Annealing on Superconducting Properties of Bi ₂ (Sr,Ca) ₃ Cu ₂ O ₂ and YBa ₂ Cu ₃ O ₇₋₃ Thin Films", Appl. Phys. Lett., Vol. 56, No. 6, pp. 575-577 (February 5, 1990)

23552

EXAMINER Val Watter DATE CONSIDERED 1/17/07